

TELEGRAMS
"RADICENTRE"

TELEPHONE 55-020

R.N.Z.

RADIO CORPORATION OF NEW ZEALAND LTD

80 COURTENAY PLACE - - WELLINGTON, C3

G.P.O. BOX 1585

SERVICE
SUPPLEMENT

Date : 14th March, 1949

MODEL 17


5 Valve Broadcast Receiver

Sensitivity Tests

Volume Control—full on.


Sensitivity Tests: (Microvolts input to give standard output of 50 milliwatts)

Frequency	Input to	Microvolts
455 Kc.	Grid 6SJ7	5000
455 Kc.	Grid 6SA7	150
1400 Kc.	Antenna lead through dummy antenna	10
1000 Kc.	" " " " "	12
600 Kc.	" " " " "	6



MODEL 17

5 Valve Broadcast Receiver



R.N.Z.

ION OF NEW ZEALAND LTD

PLACE - - WELLINGTON, C3

G.P.O. BOX 1585

SERVICE
SUPPLEMENT

Date : 14th March, 1949


MODEL 17

5 Valve Broadcast Receiver

Sensitivity Tests Volume Control—full on.

Sensitivity Tests: (Microvolts input to give standard output of 50 milliwatts)

Frequency	Input to	Microvolts
455 Kc.	Grid 6SJ7	5000
455 Kc.	Grid 6SA7	150
1400 Kc.	Antenna lead through dummy antenna	10
1000 Kc.	" " " " "	12
600 Kc.	" " " " "	6



3-8