






Tubes		27	SHORT WAVE
1	6K8	28	B.C.
2	6K7	29	1st IF 460 KC
3	6B8	30	2nd IF 460 KC
4	6F6	31	SW RF TRIMMER
5	80	32	(FRONT OF BANK)
Condensers		33	B.C. RF TRIMMER
6	.00005	34	(MIDDLE OF BANK)
7	.0001	35	B.C. OSC. TRIMMER
8	.00025	36	(REAR OF BANK)
9	.002	37	SW OSC. TRIMMER
10	.004	38	(ON GANG)
11	.01	39	Red
12	.02	40	Black POWER
13	.05	41	White CABLE
14	.1	42	Switch on back
15	.25	43	of Vol control
16	15 mfd	44	6.3v heaters
17	25 mfd	45	2500w SPKR FLD
Resistors		46	Electro-static
18	250 000w	47	Shield
19	100 000	48	Voice Coil of SPKR
20	50 000	49	ANT.
21	10 000	50	GND.
22	825	51	6U5
23	25	52	GANGED COND.
24	1/2 Meg	53	W/C SWITCH
25	1	54	(LEFT IS S.W.)





DRWN	2/2	6.5V. D.W.-AC - 1939	AMENDMENTS
CHCKD	Lab.	MODEL C.W & C.S	
APPRVD	G. Brown	RADIO (1936) LTD AUCK.	
DATE	19-4-39		

CW / CS




TUBES		SHORT WAVE	
1	6X8	27	B.C.
2	6X7	28	1st IF 460 KC
3	6B8	29	2nd IF 460 KC
4	6F6	30	SW RF TRIMMER
5	80	31	(FRONT OF BANK)
Condensers		32	B.C. RF TRIMMER
6	.00005	33	(MIDDLE OF BANK)
7	.0001	34	B.C. OSC. TRIMMER
8	.00025	35	(REAR OF BANK)
9	.002	36	SW OSC. TRIMMER
10	.004	37	(ON GANG)
11	.01	38	Red
12	.02	39	Black
13	.05	40	Power Cable
14	.1	41	White
15	.25	42	Switch on back
16	16 pfd	43	of Vol control
17	25 pfd	44	6.3 v heaters
Resistors		45	2500 w SPKR FLD
18	250 000 w	46	Electro-static
19	100 000 -	47	Shield
20	50 000 -	48	Voice Coil of SPKR
21	10 000 -	49	ANT.
22	825	50	GND.
23	25	51	BUS
24	1/2 Meg	52	GANGED COND.
25	1	53	W/C SWITCH
26		54	(LEFT IS S.W.)
27		55	B.C. PDR.



DRWN	<i>Sub.</i>	6.5 v. D.W.-AC - 1939	AMENDMENTS
CHCKD	<i>Sub.</i>	MODEL C.W. & C.S.	Model ES alterations as shown on pencil
APPRVD	<i>Shaw</i>	RADIO (1936) LTD AUCTION.	
DATE	19-4-39		

SW. osc. tunes on low side NOT 140

CW - CS - CU



Tubes		27	SHORT WAVE
1	6X8	28	B.C.
2	6X7	29	1st IF 450 KC
3	6X8	30	2nd IF 450 KC
4	6F6	31	SW RF TRIMMER
5	80	32	(FRONT OF BANK)
Condensers		33	AC RF TRIMMER
6	.00005	34	(MIDDLE OF BANK)
7	.0001	35	BC OSC. TRIMMER
8	.00025	36	(REAR OF BANK)
9	.003	37	SW OSC. TRIMMER
10	.004	38	(ON GANG)
11	.01	39	RED
12	.02	40	Block POWER
13	.04	41	White CABLE
14	.1	42	Switch on back
15	.25	43	of Vol control
16	16 pf	44	6.3v heaters
17	25 pf	45	2500w SPKR FLD
Resistors		46	Electro-static
18	250 000w	47	Shield
19	100 000	48	Voice coil of SPKR
20	50 000	49	ANT.
21	10 000	50	GND.
22	825	51	0.5
23	25	52	GANGED COND.
24	25	53	W/C SWITCH
25	1 Meg	54	LEFT IS S.W.
26	1		

DRAWN	<i>[Signature]</i>	6B5V. D.W.-AC - 1939	AMENDMENTS
CHCKD	<i>[Signature]</i>	MODEL CW & CS	
APPRVD	<i>[Signature]</i>	RADIO (1936) LTD AUCK.	
DATE	19-4-39		

